

Equipment



*** Hose Monsters®**



HML	The Little Hose Monster™ - 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	\$620.00
HM2H	2 1/2" For pump testing and hydrant flow testing. Includes built-in pitot	\$809.00
HM2HF	2 1/2" For flushing only. Does not include pitot	\$705.00
HM4	4" For hydrant flow testing. Includes internal orifice plate for pressure readings	\$830.00
HM4H	4 1/2" For hydrant flow testing. Includes internal orifice plate for pressure readings	\$830.00
HM2HIN	2 1/2" Inline model for high-rise standpipe testing and special configurations	\$809.00
HM4IN	4" Inline model for high-rise standpipe testing and special configurations	\$830.00
HM4HIIN	4 1/2" Inline model for high-rise standpipe testing and special configurations	\$830.00

* Special threads available upon request

*** The Pitotless Nozzle™**



PN2	2" Pitotless Nozzle FM Approved (521 to 1,564 GPM)	\$495.00
PN1.75	1 3/4" Pitotless Nozzle FM Approved (337 to 1,011 GPM)	\$495.00
PN1.125	1 1/8" Pitotless Nozzle FM Approved (118 to 355 GPM)	\$510.00
PN1	1" Pitotless Nozzle FM Approved (48 to 262 GPM)	\$525.00

(gauge ordered separately)

* Special threads available upon request

FM Nozzle Inserts™



HMNI1.75	1 3/4" Nozzle Insert FM Approved. For use with HM2H (282 to 771 GPM)	\$171.00
HMNI1.125	1 1/8" Nozzle Insert FM Approved. For use with HM2H (118 to 324 GPM)	\$182.00
NC2HNST	2 1/2" Nozzle Coupling - used to attach the Nozzle Insert directly to test header.	\$60.00

Little Hose Monster Accessories



FN *	Flushing Nozzle - 2 1/2" Fem NH coupling. No flow rate measurement.	\$69.00
STK	Little Hose Monster Stabilizer , For stacking HML, includes Tie Downs	\$75.00
TD	Tie Downs for Little Hose Monster , Replacement spring buckle straps	\$14.00

* Special threads available upon request

Hose Monster Accessories



HMPR	Pitot Rebuild Exchange a damaged pitot for a repaired one - call for RA	\$65.00
HMP	Pitot Replacement Kit for HM2H, includes pitot with handle and splash guards	\$175.00
HMPK	Pitot Kit - Everything needed to upgrade HM2HF to HM2H Pitot, setscrew, pin, spring, pitot pin, chain, flow chart.	\$200.00



HMBSG	Pitot Accessory Kit , set screw, ball bearing, spring, ball stop	\$13.75
PCK	Pitot Changeout Kit , 1/8" x 6" hex wrench, block magnet	\$18.00
STA	Stackers , For stacking HM2H, Two required for each three units	\$89.00
RTD	Ratcheting Tie Down for stacked units. Use with HM2H and HM2H, not for HML	\$18.00
HM2HR	2 1/2" Refurbish Your Old Hose Monster - call for RA. See website for details.	\$300.00
HM4R	4" Refurbish Your Old Hose Monster - call for RA. See website for details.	\$300.00
HM4HR	4 1/2" Refurbish Your Old Hose Monster - call for RA. See website for details.	\$300.00



Remote Readers and Monster Tester™



HMR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	\$30.00
HMR40	Remote Reader Assembly , 1/4" x 40' tube, 2-quick connect adapters	\$35.00
HMR60	Remote Reader Assembly , 1/4" x 60' tube, 2-quick connect adapters	\$42.00
HMMT	Monster Tester for remote flow rate readings of multiple Hose Monsters (6 - 60' tubes)	\$795.00

*** Gauge Caps**



GC	Gauge Cap , 2 1/2" NST, with ball valve and tee assembly	\$74.00
GCSW	Gauge Cap w/swivel connection , 2 1/2" NST, with ball valve and tee assembly	\$113.00

* Special threads available upon request

Wrenches



HW107	Hydrant Wrench , adjustable, single spanner	\$34.00
WSPA101	Spanner Wrench light weight aluminum alloy	\$16.00
WSPA104	Wrench for Pitotless Nozzle - only needed if PN is used with HM2H or HM2HF	\$17.00

	Hydrant Gate Valves	
HGV25NST	Gate Valve Slow Close 2-1/2" F NH X 2-1/2" M NH	\$375.00
HGV4NST	Gate Valve Slow Close 4" F NH X 4" M NH	\$743.00
HGV45NST	Gate Valve Slow Close 4 1/2" F NH X 4 1/2" M NH	\$743.00
	Pressure Gauges , re-calibrateable; Includes: gauge, brass tee, nipple, petcock, QDCOUP	
GK###	2 1/2" dial , 1% accuracy rated 0 to 30, 60, 100, 160 PSI	\$93.00
GK###D4	4" dial , 1/2% accuracy rated, 0 to 30, 60, 100, 160, 200, 300, 600 PSI	\$150.00
GK30-###	Compound Gauge, 4" dial ; reads +/-; -30 to +30, 60, 100, 160, 200, 300 PSI	\$150.00
GK6.8BD4	4" dial, Bar and PSI , 1/2% accuracy rated, Reads 0 to 6.8 Bar and 0 to 100 PSI	\$160.00
GK10.9BD4	4" dial, Bar and PSI , 1/2% accuracy rated, Reads 0 to 10.9 Bar and 0 to 160 PSI	\$160.00
GKD###	Digital Pressure Gauge , 3 1/2" dial, 1/2% accuracy rated, 0 to 30, 60, 100, 160, 200 PSI	\$210.00
	Gauge Accessories	
GCC2H	Gauge Certify and Calibrate to NIST. Incl disassembly, repair, and cert. paper 2 1/2" dial	\$50.00
GCC4	Gauge Certify and Calibrate to NIST. Incl disassembly, repair, and cert. paper 4" dial	\$75.00
QDCOUP	Quick Disconnect Coupling , male and female	\$15.50
GCF	Gauge fittings - brass tee, nipple, petcock, QDCOUP (included with gauge kit)	\$28.00
GB2H	Gauge boot for 2 1/2" gauges - black rubber protective boot for your gauge	\$11.90
GB4	Gauge boot for 4" gauges	\$14.90
	* Adapters, Reducers, and Stream Shapers	
AD25##.25##	Adapter 2 1/2" fem (<i>spec. thread</i>) to 2 1/2" male (<i>spec. thread</i>)	\$49.00
AD4.25NST	Reducer 4" fem NST x 2 1/2" male NH	\$107.00
AD45.25NST	Reducer 4 1/2" fem NST x 2 1/2" male NH	\$129.00
AD45.4NST	Reducer 4 1/2" fem NST x 4" male NH	\$127.00
AS50M45N	Adapter , Storz 5" x 4 1/2" M NH (Connection between 5" Storz and 4 1/2" NH hose)	\$174.00
AS50M40N	Adapter , Storz 5" x 4" M NH (Connection between 5" Storz and 4" NH hose)	\$171.00
AS50M25M	Adapter , Storz 5 x 2 1/2 NH (connection between 5" Storz and 2 1/2" NH hose)	\$156.00
SS2.5	Stream Shaper - prevents hose burn and arrests some debris	\$203.00
	* Special threads for all adapters and reducers are available	
	Hose	
H2H.5	2 1/2" x 5' , polyurethane lined, single jacket., 500 PSI test, 2 1/2" NH aluminum coupl.	\$78.00
H2H.10	2 1/2" x 10'	\$86.00
H2H.25	2 1/2" x 25'	\$129.00
H2H.50	2 1/2" x 50'	\$204.00
H4.5	4" x 5' , 250PSI test, 4" NH aluminum rocker lug couplings.	\$264.00
H4.10	4" x 10'	\$399.00
H45.5	4 1/2" x 5' , 250PSI test, 4 1/2" NH aluminum rocker lug couplings.	\$305.00
H45.10	4 1/2" x 10'	\$436.00
EL452HNNH	2/1/2" 45° Elbow 200 PSI rated NH cast stainless steel chrome	\$87.00
	Cases	
CASE520	Gauge and Accessory Case , Seahorse, 15.1 x 12.4 x 6.9 (outer dimensions in inches)	\$92.00
CASE720	Gauge and Accessory Case , Seahorse, 19.8 x 15.5 x 7.5	\$163.00
CASE920	Gauge and Accessory Case , Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$195.00
	Replacement Foam for Cases	
FOAM520	Pinch & Tear foam CASE520 , replacement pinch & tear foam for Seahorse cases	\$30.00
FOAM720	Pinch & Tear foam CASE720	\$50.00
FOAM920	Pinch & Tear foam CASE920	\$58.00
	FFTK Fire Flow Test Kit	
	Everything for Fire Flow Testing; Fits inside a CASE920 with wheels and telescoping handle. Your choice of hose length-sold separately. The following items are included:	\$2,178.00
HML	The Little Hose Monster™ - 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	
PN2	2" Pitotless Nozzle FM Approved (521 to 1,564 GPM)	
HMR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	
GK100D4	Pressure Gauge, 4" dial , 1/2% accuracy rated, 0 to 100 PSI	
GK60D4	Pressure Gauge, 4" dial , 1/2% accuracy rated, 0 to 60 PSI	
HGV25NST	Gate Valve Slow Close 2-1/2" F NH X 2-1/2" M NH	
GCSW	Gauge Cap w/swivel connection , 2 1/2" NST, with ball valve and tee assembly	
HW107	Hydrant Wrench , adjustable, single spanner	
WSPA101	Spanner Wrench light weight aluminum alloy	
CASE920	Gauge and Accessory Case , Seahorse, 24x16x10 w/ wheels and telescoping handle	

Prices and descriptions are subject to change without notice.
See www.HoseMonster.com for complete details or call us. 888/202-9987

DECHLOR DEMON and Accessories



DD2H **Dechlor Demon 2 1/2" Assembly** \$1,578.00
(2 1/2" Dechlor Demon Assemblies include 1 gal. 6" x 13" tank, manifold and bypass tubes)

DD4 **Dechlor Demon 4" Assembly** \$2,395.00

DD4H **Dechlor Demon 4 1/2" Assembly** \$2,395.00

(4" and 4 1/2" Dechlor Demon assemblies include 10 gal. 10" x 35", tank, manifold and bypass tubes)

(All sizes include DDVAIND.5 Indicating Bypass Valve)



DDVC500 **Dechlorinating Agent**
VC MINI TABS, 500 tablets 5/8" x 1/2", 4.4 pounds \$94.00

VDC6 **Vita-D-Chlor tablets**, 6 - 2 1/2" ascorbic acid tablets, 1.5 lbs. \$59.00

VDC20 **Vita-D-Chlor tablets**, 20 - 2 1/2" ascorbic acid tablets, 5 lbs. \$169.00

VDC40 **Vita-D-Chlor tablets**, 40 - 2 1/2" ascorbic acid tablets, 10.1 lbs. \$222.00

VDC140 **Vita-D-Chlor tablets**, 140 - 2 1/2" ascorbic acid tablets in 5 gallon pail, 35.5 lbs. \$580.00

BN80 **Bio-neutralizer**, 80 sodium sulfite tablets, 25 lbs. \$72.00

BN140 **Bio-neutralizer**, 144 sodium sulfite tablets, 45 lbs. \$135.00

BIOMAX **Bio-max Dechlorinating Tablets**, 154 sodium sulfite tablets, 48 lbs. \$150.00

*Pricing for these products fluctuates frequently, please contact us to verify current price.



Replacement Parts



DDTANK1 **Mixing Tank Assembly**, 1 Gallon, 6" x 13", with manifold and QD couplings \$233.00

DDTANK10 **Mixing Tank Assembly**, 10 Gallon, 10" x 35", with manifold and QD couplings \$305.00



DDVAIND.5 **Indicating Bypass Valve** - for precise flow control of dechlorinating agent \$109.00

DDHOSE **Hose**, 3/4" x 6' for all sizes DD bypass \$79.00

DDHOSE20 **Extension Hose**, 3/4" x 20' for all sizes DD bypass \$99.00

Software



T1VS **TrackOne™ for ValveStar** - For use with Hurco's ValveStar and Fire Flow Pro Equipment. More information on www.GetHurco.com \$3,900.00

T1HVM **TrackOne™ Distribution System Software** - For hydrants, valves, mains, flow testing, and uni-directional flushing \$2,800.00

T1H **TrackOne™** - For hydrants and flow testing only \$1,400.00

T1LIC **Additional station licenses for TrackOne** \$300.00

T1VSL **Additional station licenses for TrackOne for ValveStar** \$400.00



FFT **Fire Flow Tester™** - For flow testing \$360.00

FFTLIC **Additional station licenses for Fire Flow Tester** \$75.00

Conversion Updates

T1HVMC **TrackOne™ Distribution System Software** - Full version update from previous version \$300.00

T1H **Hydrants and flow test only**; Conversion from previous version to current \$150.00

FFTC **Fire Flow Tester™ Conversion** update from previous version \$45.00

The following are examples of set-ups for fire flow testing. Actual equipment needed may vary depending on intended use and preferences. Each component is sold as a separate line item and can be substituted. Contact us to determine the configuration best suited for your operation.

Common Fire Flow Test Set-ups



Set-up 1: Flow through a 2 1/2" Hydrant Nozzle with The Little Hose Monster®

HML	The Little Hose Monster™ - 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	\$620.00
PN2	2" Pitotless Nozzle FM Approved (521 to 1,564 GPM)	\$495.00
H2H.10	2 1/2" x 10' Hose	\$86.00
HGV25NST	Gate Valve Slow Close 2-1/2" F NH X 2-1/2" M NH	\$375.00
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	\$30.00
GK160D4	Pressure Gauge 4" dial , 1/2% accuracy rated, 0 to 160 PSI (for Static/Residual)	\$150.00
GK100D4	Pressure Gauge 4" dial , 1/2% accuracy rated, 0 to 100 PSI (for Nozzle Pressure)	\$150.00
GCSW	Gauge Cap w/swivel connection , 2 1/2" NST, with ball valve and tee assembly	\$113.00
HW107	Hydrant Wrench , adjustable, single spanner	\$34.00
WSPA101	Spanner Wrench light weight aluminum alloy	\$16.00
CASE920	Gauge and Accessory Case , Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$195.00

See *Fire Flow Test Kit (FFTK)* for a complete package, in a compact wheeled case. **Total** \$2,264.00
See 'also consider' for *Dechlor* which is pictured above, but not priced here.



Set-up 2: Flow through 4" or 4 1/2" Pumper Port with The Little Hose Monster®

HML	The Little Hose Monster™ - 3 pounds, 10" x 12", for use with all Pitotless Nozzle™ sizes	\$620.00
PN2	2" Pitotless Nozzle FM Approved (521 to 1,564 GPM)	\$495.00
AD4.25NST	Reducer 4" fem NST x 2 1/2" male NH	\$107.00
H2H.5	2 1/2" x 5' , polyester, sngl jacket., 500 PSI test, alum. rocker lug cplgs	\$78.00
HGV25NST	Gate Valve Slow Close 2-1/2" F NH X 2-1/2" M NH	\$375.00
HMRR12	Remote Reader Assembly , 1/4" x 12' tube, 2-quick connect adapters	\$30.00
GK160D4	Pressure Gauge 4" dial , 1/2% accuracy rated, 0 to 160 PSI (for Static/Residual)	\$150.00
GK100D4	Pressure Gauge 4" dial , 1/2% accuracy rated, 0 to 100 PSI (for Nozzle Pressure)	\$150.00
GCSW	Gauge Cap w/swivel connection , 2 1/2" NST, with ball valve and tee assembly	\$113.00
HW107	Hydrant Wrench , adjustable, single spanner	\$34.00
WSPA101	Spanner Wrench light weight aluminum alloy	\$16.00
CASE920	Gauge and Accessory Case , Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$195.00

Total (4" Pumper Port) \$2,363.00

\$22 increase for the 4 1/2" Reducer (AD45.25NST) **Total (4 1/2" Pumper Port)** \$2,385.00

See 'also consider' for *Dechlor Demon* which is pictured above, but not priced here.



Set-up 3: Flow through 4" or 4 1/2" Pumper Port with 4" or 4 1/2" Hose Monster®

HM4	4" For hydrant flow testing. Includes internal orifice plate for pressure readings	\$830.00
H4.5	4" x 5' Hose	\$264.00
HGV4NST	Gate Valve Slow Close 4" F NH X 4" M NH	\$743.00
HMRR12	Remote Reader Assembly, 1/4" x 12' tube, 2-quick connect adapters	\$30.00
GK160D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 160 PSI (for Static/Residual)	\$150.00
GK100D4	Pressure Gauge 4" dial, 1/2% accuracy rated, 0 to 100 PSI (for Nozzle Pressure)	\$150.00
GCSW	Gauge Cap w/swivel connection, 2 1/2" NST, with ball valve and tee assembly	\$113.00
HW107	Hydrant Wrench, adjustable, single spanner	\$34.00
WSPA101	Spanner Wrench light weight aluminum alloy	\$16.00
CASE720	Gauge and Accessory Case, Seahorse, 19.75 x 15.5 x 7.5	

Total (4" Pumper Port) \$163.00

\$41 increase for the 4 1/2" Hose (H45.5) **Total (4 1/2" Pumper Port)** \$2,493.00

See 'also consider' for Dechlor Demon which is pictured above, but not priced here. \$2,534.00

For Fire Flow Testing Also Consider:

Dechlorination:



DD2H	Dechlor Demon 2 1/2" Assembly	\$1,578.00
DD4	Dechlor Demon 4" Assembly	\$2,395.00
DD4H	Dechlor Demon 4 1/2" Assembly	\$2,395.00
VDC6	Vita-D-Chlor tablets, 6 - 2 1/2" tabs, 1.5 lbs.	\$59.00
VDC20	Vita-D-Chlor tablets, 20 - 2 1/2" tabs, 5 lbs.	\$169.00
VDC40	Vita-D-Chlor tablets, 40 - 2 1/2" tabs, 10.1 lbs.	\$222.00
VDC140	Vita-D-Chlor tablets, 140 - 2 1/2" tabs in 5 gallon pail, 35.5 lbs.	\$580.00

Cases



CASE520	Gauge and Accessory Case, Seahorse, 15.1 x 12.4 x 6.9 (outer dimensions in inches)	\$92.00
CASE720	Gauge and Accessory Case, Seahorse, 19.8 x 15.5 x 7.5	\$163.00
CASE920	Gauge and Accessory Case, Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$195.00

Software

T1HVM	TrackOne™ Distribution System Software - For hydrants, valves, mains, flow testing, and uni-directional flushing	\$2,800.00
-------	--	------------



FFT	Fire Flow Tester™ - For flow testing	\$360.00
-----	--------------------------------------	----------

Reducers and Stream Shapers



AD25##.25##	Adapter 2 1/2" fem (spec. thread) to 2 1/2" male (spec. thread)	\$49.00
AD4.25NST	Reducer 4" fem NST x 2 1/2" male NH	\$107.00
AD45.25NST	Reducer 4 1/2" fem NST x 2 1/2" male NH	\$129.00
AD45.4NST	Reducer 4 1/2" fem NST x 4" male NH	\$127.00
AS50M45N	Adapter, Storz 5" x 4 1/2" M NH (Connection between 5" Storz and 4 1/2" NH hose)	\$174.00
AS50M40N	Adapter, Storz 5" x 4" M NH (Connection between 5" Storz and 4" NH hose)	\$171.00
AS50M25M	Adapter, Storz 5 x 2 1/2 NH (connection between 5" Storz and 2 1/2" NH hose)	\$156.00
SS2.5	Stream Shaper - prevents hose burn and arrests some debris	\$203.00

The following are examples of set-ups for fire pump testing. Actual equipment needed may vary depending on intended use and preferences. Each component is sold as a separate line item and can be substituted. The number of hose lines required depends on the rated capacity of the pump and the test area. Contact us to determine the configuration best suited for your operation.

Common Fire Pump Test Set-ups



Item #	Qty.	Description	
Set-up 1: Flow through 3 hoses using the Little Hose Monster and 1 3/4" Pitotless Nozzle			
HML	3	The Little Hose Monster™ - 10" x 12", for use with Pitotless Nozzle™	\$1,860.00
PN1.75	3	1 3/4" Pitotless Nozzle FM Approved (337 to 1,011 GPM - per nozzle)	\$1,485.00
H2H.25	3	2 1/2" x 25' Hose	\$387.00
HMRR40	3	Remote Reader Assembly , 1/4" x 40' tube, 2-quick connect adapters	\$105.00
GK100D4	3	Gauge 4" dial , 1/2% accuracy rated, 0 to 100 PSI	\$450.00
STK	1	Little Hose Monster Stabilizer For stacking HML, includes Tie Downs	\$75.00
Total			\$4,362.00

(For each additional hose line flowing, add about \$1,430; HML, PN1.75, H2H.25, HMRR40, and GK100D4. If using Monster Tester, add only \$1,275. The additional gauge will not be needed. Contact us for clarification.)







Set-up 2: Flow through 3 hoses using the 2 1/2" Hose Monster with built-in pitot			
HM2H	3	2 1/2" Hose Monster with built-in pitot	\$2,427.00
HMP	1	Pitot Replacement Kit For replacing damaged pitots	\$175.00
HMNI1.75	3	1 3/4" Nozzle Insert FM Approved. For use with HM2H	\$513.00
H2H.25	3	2 1/2" x 25' Hose	\$387.00
HMRR40	3	Remote Reader Assembly , 1/4" x 40' tube, 2-quick connect adapters	\$105.00
GK100D4	3	Gauge 4" dial , 1/2% accuracy rated, 0 to 100 PSI	\$450.00
STA	2	Stackers For stacking HM2H, Two required for each three units	\$178.00
RTD	1	Ratcheting Tie Down for stacked units. Use with HM2H and HM2H, not for HML	\$18.00
Total			\$4,253.00

(For each additional hose line flowing add \$1,295 for a HM2H, HMNI1.75, H2H.25, HMRR40, and GK100D4. If using Monster Tester, add \$1,105 instead)

Note about cost difference: The cost difference between the Little Hose Monster and 2 1/2" Hose Monster is negligible (possibly less expensive with Set-up 1) considering the number of pitot replacements that occur with the 2 1/2" Hose Monster over a period of time.

For Fire Pump Testing Also Consider:

	HMMT	Monster Tester The Monster Tester simplifies the job of taking multiple pressure readings in a Fire Pump Test. The	\$795.00
		Gauges for Suction Pressure and Discharge Pressure	
	GK30-###	Compound Gauge, 4" dial ; reads +/-; -30 to +30, 60, 100, 160, 200, 300 PSI	\$150.00
	GK###D4	Gauge 4" dial , 1/2% accuracy rated, 0 to 30, 60, 100, 160, 200, 300, 600 PSI	\$150.00
		Cases	
	CASE520	Gauge and Accessory Case , Seahorse, 15.1 x 12.4 x 6.9 (outer dimensions in inches)	\$92.00
	CASE720	Gauge and Accessory Case , Seahorse, 19.8 x 15.5 x 7.5	\$163.00
	CASE920	Gauge and Accessory Case , Seahorse, 24 x 16 x 10 w/ wheels and telescoping handle	\$195.00
		Pitots	
		<i>For replacing damaged pitots; Only needed if using Pump Test Set-up 2 with the 2 1/2" Hose Monsters</i>	
	HMP	Pitot Replacement Kit for HM2H, includes pitot with handle and splash guards	\$175.00
	HMPR	Pitot Rebuild We repair damaged pitots. Don't throw them out. Exchange a damaged pitot for a repaired one - call for RA.	\$65.00